

**From:** [Walzer, Thomas](#)  
**To:** [Moore, Gary](#)  
**Subject:** RE: CES Tables  
**Date:** Thursday, December 04, 2014 12:24:46 PM  
**Attachments:** [removed.txt](#)

---

Also it looks like we have \$ 17,000 to \$ 18,000 budget left. The draft report was due yesterday but we already submitted and are addressing comments for final Report, due 01/02/2015. I need to check but I think other costs (lab and expendables) have hit the project.

---



**Thomas Walzer**

Principal Project Scientist

**Weston Solutions, Inc.**

*an employee-owned company*

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985.6741 Direct

(713) 705.1467 Cell

(713) 985.6703 Fax

[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

**From:** Walzer, Thomas  
**Sent:** Thursday, December 04, 2014 12:15 PM  
**To:** 'Moore, Gary'  
**Subject:** RE: CES Tables  
By total package you mean text and attachments?

---



**From:** Moore, Gary

**Thomas Walzer**

Principal Project Scientist

**Weston Solutions, Inc.**

*an employee-owned company*

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985.6741 Direct

(713) 705.1467 Cell

(713) 985.6703 Fax

[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

[\[mailto:Moore.Gary@epa.gov\]](mailto:Moore.Gary@epa.gov)

**Sent:** Wednesday, December 03, 2014 12:13 AM

**To:** Walzer, Thomas

**Subject:** Re: CES Tables

**It needs to be clear which Summas were taken in the residential area and which on the industrial area. I think I am ok with everything else. I just need to get the entire package again to review in total.**

**Also, how much time do we have left on the TDD.**

**Thanks**

**Gary Moore**

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

[moore.gary@epa.gov](mailto:moore.gary@epa.gov)

---

**From:** Walzer, Thomas <[T.A.Walzer@WestonSolutions.com](mailto:T.A.Walzer@WestonSolutions.com)>

**Sent:** Tuesday, December 2, 2014 5:09 PM

**To:** Moore, Gary

**Cc:** Bercher, Corey; Tighe, C. Daniel; Crow, David

**Subject:** RE: CES Tables

Gary;

As you requested I deleted the comparison values from the waste table to be used in the report (see PDF file). For your use I attached the Excel version of the Waste Table with the comparison values in place.



**Thomas Walzer**

Principal Project Scientist

**Weston Solutions, Inc.**

*an employee-owned company*

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985.6741 Direct

(713) 705.1467 Cell

(713) 985.6703 Fax

[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

[http://www.epa.gov/osw/hazard/testmethods/fag/fag\\_tclp.htm](http://www.epa.gov/osw/hazard/testmethods/fag/fag_tclp.htm)

## Total Constituent Analysis Instead of TCLP Analysis

**Question:** Is it acceptable to perform a total constituent analysis instead of a TCLP analysis and then divide the total concentration by 20 to determine if a waste is non-hazardous, as is implied in Section 1.2 of Method 1311, TCLP?

**Answer:** Section 1.2 of the TCLP *does* allow for a total constituent analysis in lieu of the TCLP extraction. If a waste is 100% solid, as defined by the TCLP method, then the results of the total constituent analysis may be divided by twenty to convert the total results into the maximum leachable concentration. This factor is derived from the 20:1 liquid-to-solid ratio employed in the TCLP. If a waste has filterable liquid, then the concentration of the analyte in each phase (liquid and solid) must be determined. The following equation may be used to calculate this value:

$$\frac{[A \times B] + [C \times D]}{B + [20 (L/kg) \times D]} = E$$



**Thomas Walzer**

Principal Project Scientist

**Weston Solutions, Inc.**

*an employee-owned company*

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985.6741 Direct

(713) 705.1467 Cell

(713) 985.6703 Fax

[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

**From:** Moore, Gary [<mailto:Moore.Gary@epa.gov>]

**Sent:** Friday, November 28, 2014 11:03 AM

**To:** Walzer, Thomas

**Subject:** RE: CES Tables

Tom:

Please see the table as I made some additional changes.

Thanks

Gary Moore

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

[moore.gary@epa.gov](mailto:moore.gary@epa.gov)

---

**From:** Walzer, Thomas [<mailto:T.A.Walzer@WestonSolutions.com>]

**Sent:** Wednesday, November 26, 2014 8:20 AM

**To:** Moore, Gary

**Cc:** Thibodeaux, Denece; Crow, David

**Subject:** CES Tables



**Thomas Walzer**

Principal Project Scientist

**Weston Solutions, Inc.**

*an employee-owned company*

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985.6741 Direct

(713) 705.1467 Cell

(713) 985.6703 Fax

[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission

of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

\*\*\*\*\* ATTACHMENT REMOVED  
\*\*\*\*\*

This message contained an attachment which the administrator has caused to be removed.

\*\*\*\*\* ATTACHMENT REMOVED  
\*\*\*\*\*

Attachment name: [image001.jpg]  
Attachment type: [image/jpeg]